

REFERENCES

Slide 3

Prevalence:

The National Institute of Justice and the Centers for Disease Control and Prevention: National Violence Against Women (NVAW) Survey. The Commonwealth Fund, First Comprehensive National Health Survey of American Women. July 1993.

The Commonwealth Fund. Health Concerns Across A Woman's Lifespan: The Commonwealth Fund. 1998 Survey of Women's Health. May 1999.

Bureau of Justice Statistics Special Report, Intimate Partner Violence and Age of Victim, 1993 – 1999. October 2001.

CDC: National Diabetes Fact Sheet. National estimates and general information on diabetes in the United States. Revised Edition. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 1998.

National Cancer Institute, Surveillance, Epidemiology, and End Results Program (SEER). *SEER Cancer Statistics Review 1973 – 1997*. (Breast Cancer)

National Cancer Institute, Cancer Statistics Branch, Surveillance, Epidemiology, and End Results (SEER) *SEER Cancer Statistics Review 1990 – 1994*. (Cervical Cancer)

Abbott J, Johnson R, Koziol-McLain J, Lowenstein SR. Domestic violence against women. Incidence and prevalence in an emergency department population. *JAMA* 1995;273(22):1763-1767.

Slide 4

Physical Health Effects:

Improving the Health Care Response to Domestic Violence: A Resource Manual for Health Care Providers. Family Violence Prevention Fund. Revised May 1998.

Berrios DC, Grady D. Domestic violence: risk factors and outcomes. *West J Med* 1991;155:133-135.

Federal Bureau of Investigation. Uniform Crime Reports for the United States. Washington, DC: United States Department of Justice. 1993.

Coker AL, Smith PH, Bethea L, King MR, McKeown RE. Physical health consequences of physical and psychological intimate partner violence. *Arch Fam Med* 2002;9:451-457.

Mental Health Effects:

Danielson KK, Moffit TE, Caspi A, Silva PA. Co-morbidity between abuse of an adult and DSM-III-R mental disorders: evidence from an epidemiological study. *Am J Psychiatry* 1998;155(1):131-133.

Stark E, Flitcraft A. Killing the beast within: woman battering and female suicidality. *Int J Health Serv* 1995;25(1):43-64.

Houskamp B. Assessing and treating battered women: a clinical review of issues and approaches. *New Dir Ment Health Serv* 1994;64:79-89.

Gelles RJ, Harrop JW. Violence, battering, and psychological distress among women. *J Interpers Violence* 1989;4(1).

Central Nervous System:

Campbell, JC. Health consequences of intimate partner violence. *Lancet* 2002;359(9314):1331-1336.

Coker AL, Smith PH, Bethea L, King MR, McKeown RE. Physical health consequences of physical and psychological intimate partner violence. *Arch Fam Med* 2002;9:451-457.

Obstetrics:

Campbell, JC. Health Consequences of intimate partner violence. *Lancet* 2002; 359 (9314); 1881-1336.

Parker B, McFarlane J, Soeken K. Abuse During Pregnancy: Effects on maternal complications and infant birthweight in adult and teen women. *Obstet Gynecol* 1994;841:323-328.

McFarlane J, Parker B, Soeken K. Abuse during pregnancy: association with maternal health and infant birthweight. *Nurs Res* 1996;45:32-37.

Amaro H. Violence during pregnancy and substance use. *AJPH* 1990;80:575-579.

Koss MP, Koss PG, Woodruff WJ. Deleterious effects of criminal victimization on women's health and medical utilization. *Arch Intern Med* 1991;151:342-347.

Stewart DE, Cecutti A. Physical abuse in pregnancy. *Can Med Assoc J* 1993;149:1257-1263.

Percent of battered pregnant women: Centers for Disease Control and Prevention, *The Atlanta Journal and Constitution*, 1994.

Horon, I., Cheng, D., (2001). Enhanced Surveillance for Pregnancy-Associated Mortality- Maryland, 1993-1998. *The Journal of the American Medical Association*, 285 No. 11, March 21, 2001.

Fry, V. (001). Examining Homicide's Contribution to Pregnancy-Associated Deaths. *The Journal of the American Medical Association*, 285, No. 11, March 21, 2001.

Low Birth Weight:

Parker B, McFarlane J, Soeken K. Abuse during pregnancy: Effects on maternal complication and birth weight in adult and teenage women. *Obstet Gynecol* 1994;84(3):323-328.

Late access for prenatal care:

Parker B, McFarlane J, Soeken K, Torres S, Campbell, D. (1993). Physical and emotional abuse in pregnancy: a comparison of adult and teenage women. *Nurs Res* 1993;42(3):173-178.

Slide 5

Indirect Health Problems:

Amaro H. Violence during pregnancy and substance use. *AJPH* 1990;80:575-579.

Parkinson GW, Adams RC and Emerling FG. Maternal domestic violence screening in an office-based pediatric practice. *Pediatrics* 2001;108(3):E43.

Barkan H, Farley M, Minkof J. Mammography Screening and Domestic Violence. Family Violence Prevention Fund National Conference on Health Care and Domestic Violence, October 2000. Accepted for publication in *Women's Health*.

Parker, B., McFarlane, J., Soeken, K., Torres, S., Campbell, D. (1993) "Physical and Emotional Abuse in Pregnancy: A Comparison of Adult and Teenage Women," *Nursing Research*, Vol. 42 (3); 173-178.

Family Violence Prevention Fund. Improving the Health Care Response to Domestic Violence: A Resource Manual for Health Care Providers. Revised May 1998.

Slide 6:

Children:

Straus M, Gelles R, Smith C. *Physical Violence in American Families: Risk Factors and Adaptations to Violence in 8,145 Families*. New Brunswick: Transaction Publishers, 1990.

Osofsky, JD. The effects of exposure to violence on young children. *Am Psychol* 1995;50(9); 782-788.

Bell CC, Jenkins EJ. Effects of child abuse and race. *J Natl. Med Assoc* 1994;86(3);165.

Mullen PE, Marin JL, Anderson JC, Romans SE, Herbison GP. The long term impact of the physical, emotional, and sexual abuse of children: a community study. *Child Abuse Neg* 1996;20(1)7-21.

Kerouac ME, Taggart J, Lescop and Fortin MF. *Dimensions of health in violent families. Health Care for Women International* 7:413-426, 1986.

Perry B, et al. "Childhood Trauma, the Neurobiology of Adaptation, and 'Use depended Development of the Brain: How 'States' become 'Traits.'" *Infant Mental Health Journal*. Vol. 16.4, Winter 1996, pp 271-291.

Osofsky, J., *Incubated in Terror: Neurodevelopmental Factors in the 'Cycle of Violence.'* Children, Youth and Violence; The Search for Solutions. Ed 1997, pp 124-148. Guilford Press, New York, NY.

Teicher, MH, MD, PhD. "Wounds that Time Won't Heal: The Neurobiology of Child Abuse." *Cerebrum: The Dana Forum on Brain Science*. Vol. 2 No. 4, Fall 2000. Pp 50-67.

Slide 7

Life-time Effects

Felitti VJ, Anda RF, Nordenberg D, Williamson DF, Spitz AM, Edwards V, Koss MP, Marks JS. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The Adverse Childhood Experiences (ACE) Study. *Am J Prev Med* 1998;14(4):245-258.

Slide 8-9

Failure to Identify DV

Zawitz M, et al. Highlights from 20 years of Surveying Crime Victims: The National Crime Victimization Survey, 1973-1992. Washington, D.C.: U.S. Dept. of Justice, Bureau of Justice Statistics. October 1993.

Slide 9

Costs:

Wisner CL, Gilmer TP, Saltzman LE, Zink TM. Intimate Partner Violence Against Women: Do Victims Cost Health Plans More? *J Fam Pract* 1999;48(6):439-443.

Ulrich YC, Cain KC, Sugg NK, Rivara FP, Thompson RS. Burden of disease; medical care utilization patterns in women diagnosed with domestic violence. *Am J Prev Med* (In Press, 2002).

Rudman WJ, Reyes C. Use of Medical Record Data in Identifying Clinical Outcomes Associated with Intimate Partner Violence. Family Violence Prevention Fund National Conference on Health Care and Domestic Violence. 2000.

Hospital Inpatient Statistics, 1996. U.S. Agency for Health Care Policy and Research, Rockville, MD. Healthcare Cost and Utilization Project Research Note. AHCPR No. 99-0034.

Slide 10
Workplace

The Body Shop. The Many Faces of Domestic Violence and Its Impact on the Workplace. New York: EDK Associates. 1997.

Solomon, CM. "Talking Frankly About Domestic Violence," *Personal Journal*. 1995:64.

Slide 11
Workplace

Wisner CL, Gilmer TP, Saltzman LE, Zink TM. Intimate Partner Violence Against Women: Do Victims Cost Health Plans More? *J Fam Pract* 1999;48(6):439-443.

Friedman L, Cooper S. (1987). The Cost of Domestic Violence. New York; Victim Services Research Department. 1-3.

Perry, P. (1994). Assault in the Workplace. *Law*. May, 1 1994 . pg. 41

Slide 12
Current Practice

Rodriguez M, Bauer H, McLoughlin E, Grumbach K. (1999). Screening and Intervention for Intimate Partner Abuse: Practices and Attitudes of Primary Care Physicians. *The Journal of the American Medical Association*, 282, No. 5 August, 4, 1999.

The Family Violence Prevention Fund's National Health Resource Center on Domestic Violence, *National Survey of Managed Care organizations*. San Francisco, CA. August, 1999.

Slide 13
Specialty Positions

American Medical Association. Diagnostic and Treatment Guidelines on Domestic Violence. *Arch Fam Med* 1992;1(1):139-47.

American Nurses Association. Position Statement on Physical Violence Against Women. Washington D.C. American Nurses Association: 1994

American Psychological Association. Report of the American Psychological Association Presidential Task Force on Violence and the Family. Washington DC: American Psychological Association. 1998.

American Academy of Pediatrics. The Role of the Pediatrician in Recognizing and Intervening on Behalf of Abused Women. 1998.

American College of Obstetricians and Gynecologists: Technical Bulletin 257. 1999.

Confronting Chronic Neglect: The training needs of health care professionals on family violence. National Academy Press. Institute of Medicine. Washington D.C. September 2001.

National Consensus Guidelines on Identifying and Responding to Domestic Violence Victimization in Health Care Settings. The Family Violence Prevention Fund. 2002.

Laws

Family Violence Prevention Fund. State-by-State Report Card on Health Care and Domestic Violence. August 2001.

Joint Commission on the Accreditation of Health Care Organizations. Standard PE 1.8. Coding Clinic guidelines for ICD-9 CM (1996) Volume 13, #4, fourth quarter.

Research Support

Soeken K, McFarlane J, Parker B. (1998). The Abuse Assessment Screen. A Clinical Instrument to Measure Frequency, Severity, and Perpetrator of Abuse Against Women. Beyond Diagnosis: Intervention Strategies for Battered Women and Their Children. Thousand Oaks, CA: Sage.

McFarlane J, Christoffel K, Bateman L, Miller V, Bullock L. Assessing for abuse: self-report versus nurse interview. *Public Health Nurs* 1991;8(4):245-250.

McFarlane J, Geenberg L, Weltge A, Watson M. Identification of abuse in emergency departments: Effectiveness of a two-questions screening tool. *J Emerg Nurs* 1995;6(21):391-394.

McFarlane J, Parker B, Soeken K, Bullock L. Assessing for abuse during pregnancy: severity and frequency of injuries and associated entry into prenatal care. *JAMA* 1992;267:3176-3178.

McFarlane J, Parker B, Soeken K, Silva C, Reel S. Safety behaviors of abused women following an intervention program offered during pregnancy. *Obstet Gynecol Neonatal Nurs* 1998; 27(1):64-69.

Burke E, Kelley, L, Rudman W P.hD, MacLeod B MD, F.A,C.E.P., Health Care Cost Impact Study. Pittsburgh, PA. 2002. *Preliminary findings.

Legal precedence

Cranstoun JB. A new trend for healthcare professionals who treat victims of domestic violence. *J Health Law* 2000;33(4):629-655.

Kringen vs. Boslough and St. Vincent Hospital and Health Care Center, Inc. A Montana Corporation. Montana Thirteenth Judicial District Court Yellowstone County. 07.26.96.

Slide 14

Patient , Providers, Purchasers Support DV Response

McCauley J, Yurk R, Jenckes M, Ford D. Inside 'Pandora's box': abused women's experiences with clinicians and health services. *Arch Intern Med* 1998;13:549-555.

Friedman L, Samet J, Roberts M, Hudlin M, Hans P. Inquiry about victimization experiences: a survey of patient preferences and physician practices. *Arch Intern Med* 1992;152:1186-1190.

Rodriguez M, Quiroga SS, Bauer H. Breaking the silence: battered women's perspectives on medical care. *Arch Fam Med* 1996;5:153-158.

Caralis P, Musialowski R. Women's experiences with domestic violence and their attitudes and expectations regarding medical care of abuse victims. *South Med J* 1997;90:1075-1080.

McCaw, Brigid. Beyond Screening for Domestic Violence: A systems Model Approach in a Managed Care Setting (2001) American Journal of Preventative Medicine.

National Business Group on Health.

Slide 16

McLeer SV. Anwar. Education is Not Enough. A system Failure in Protecting Battered Women. *Annals of Emergency Medicine* (1989).

Slide 20

Larkin et al. (2000). Effects of an Administrative Intervention on Rates of Screening for Domestic Violence in an urban Emergency Department. SV McLevy R.

McLeer SV. Anwar. Education is Not Enough. A system Failure in Protecting Battered Women. *Annals of Emergency Medicine* (1989).

Slide 22

Reasons for Action Now

Burke E, Kelley, L, Rudman W P.hD, MacLeod B MD, F.A,C.E.P., Health Care Cost Impact Study. Pittsburgh, PA. 2002. *Preliminary findings.

Handout I

Compliance with Screening Policy

Larkin GL, Rolniak S, Hyman KB, MacLeod BA, Savage R. Effects of an administrative intervention on rates of screening for domestic violence in an urban emergency department. *Am J Public Health* 2000;90(9):1444-1448.

McLeer SV, Anwar RA, Herman S, Maquiling K. Education is not enough: a system failure in protecting battered women. *Ann Emerg Med* 1989;18(6):651-653.

Handout II

Prevalence Studies:

Dearwater SR, Coben JH, Campbell JC, Hah G, Glass N, McLoughlin E, Bekemeier B. Prevalence of intimate partner abuse in women treated at community hospital emergency departments. *JAMA* 1998;280(5):433-438.

Muelleman RA, Lenaghan PA, Pakieser RA. Battered women: injury locations and types. *Ann Emerg Med* 1996;28:486-492.

McCauley J, Kern DE, Kolodner K, Dill L, Schoeder AF, DeChant HK, Ryden J, Bass EB, Derogatis LR. The "battering syndrome". Prevalence and clinical characteristics of domestic violence in primary care internal medicine practices. *Ann Intern Med* 1995;123(10):737-746.

Gin NE, Rucker L, Frayne S, Cygan R, Hubbell FA. Prevalence of domestic violence among patients in three ambulatory care internal medicine clinics. *J Gen Intern Med* 1991;6(4):317-322.

Jones AS, Campbell JC, Schollenberger J, O'Campo PJ, Dienemann JA, Gielen AC, Kub J, Wynne EC. Annual and lifetime prevalence of partner abuse in a sample of female HMO enrollees. *Womens' Health Issues* 1999;9(6):295-305.

Gazmararian JA, Lazorick S, Spitz AM, Ballard TJ, Saltzman LE, Marks JS. Prevalence of violence against pregnant women. *JAMA* 1996;275(24):1915-1920.